



**For Office Use Only:**

- Entered In MS Excell Registration List
- Searched Part 1
- Searched Part 2
- Group Email:  Part 1       Part 2
- Invoice # \_\_\_\_\_
- Other \_\_\_\_\_

MWWC  
P.O. Box 14170  
Springfield, MO 65814  
  
573/657-0266

# #2408606 August 14, 2024 MWWC Virtual Training

## Operation and Maintenance of Wells & Basic Chemistry

Instructor: John Betz

**Renewal Training Hours: Water Treatment 6.0 Distribution 6.0  
(2024 Blue Water Vouchers Approved)**

Time:                    08:00 – 08:30 a.m.                    Log-in (MWWC will send you an email invitation)  
                                 08:30 a.m.                                    Class Begins

Cost:                    \$100.00 Members      \$150.00 Non-Members  
MWWC Membership dues are \$35.00. Vouchers will not pay dues.

**Pre-registration is required. Email this form to [leslie@mwwc.net](mailto:leslie@mwwc.net) Please type or print legibly; thank you!**

**Registrant's Name:** \_\_\_\_\_

**Registrant's daytime area code and phone number:** \_\_\_\_\_

**Name, Area Code, and Phone Number of Alternate Contact Person:** \_\_\_\_\_

**Certification Number (Required for DNR operator certification renewal):** \_\_\_\_\_

**Last Four digits of Social Security Number (Required for DNR operator certification renewal):** \_\_\_\_\_

**Name of Company/Employer:** \_\_\_\_\_

**Email Address To Which MWWC Needs to Email Zoom Invitation/Link (Required for Virtual Classes)**

\_\_\_\_\_

**Billing Information/Payment Method:**

Billing Name (City, Company, etc.) \_\_\_\_\_

Name of Contact Person: \_\_\_\_\_

Billing Area Code & Phone Number: \_\_\_\_\_ Billing Email: \_\_\_\_\_

**(Please Select One of the Following Boxes)**

- DNR Voucher (2024 Water Blue) please fill out in pencil & mail to MWWC; P.O. Box 14170; Springfield, MO 65814**
- Request Invoice**
- Pay By Credit Card Leslie will contact you. The Bank Charges a 3% Usage Fee**

\*The MWWC reserves the right to cancel any scheduled class at any given time for any reason deemed necessary by the MWWC.